

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

6255

SEED READY FOR IMMEDIATE DELIVERY

JANUARY 9, 1935

RECEIVED

★ MAR 30 1935 ★

T. S. Department of Agriculture

Tested Native Northern New England Tree Seed With Certified Origin Data

PLEASE ORDER BY LOT NUMBER

SPECIES 1934 Crop	Lot No.	Lbs. on Hand	ORIGIN			Purity %	+ GERMINATIVE ENERGY			PRICES	
			Mean Temp. June-Sept.	Approx. Alt in Feet	Collected From		%	In No. Days	Date of Test	Per Lb.	Per Oz.
BALSAM FIR (Abies balsamea) (No artificial heat used in extraction)	C	700	61-62°F.	1000-1200	N. N. H.	95	41	60	1-14-35	\$2.00	\$.20
WHITE SPRUCE (Picea canadensis)	C	75	61-62°F.	1000-1200	N. N. H.	99	86	60	1-5-35	3.00	.30
RED SPRUCE (Picea rubra)	C	82	61-62°F.	1000-1200	N. N. H.	92.3	52	15	1-12-35	3.50	.30
HEMLOCK (Tsuga canadensis)	C	38¼	61-62°F.	600-800	Ce. W. Me.	94.1 Cutting Test 93.1			1-12-35	6.00	.50
NORWAY SPRUCE (Picea excelsa)	C	7	64-65°F.	0-300	S. E. Me.	*				2.00	.20
WHITE PINE (Pinus strobus)	C	1	61-62°F.	1000-1200	N. N. H.	*				2.00	.20
SCOTCH PINE (Pinus sylvestris)	C	6	60-62°F.	800-1000	N. E. N. H.	*				3.00	.30
RED PINE (Pinus resinosa)	C	2	62-64°F.	300-500	Ce. N. H.	*				6.00	.50
1933 CROP WHITE PINE (Pinus strobus)	A	17	63-64°F.	200-400	S. Ce. N. H.	90	79	60	11-29-34	1.25	.10
	B	74	64-65°F.	0-300	S. E. Me.	94	82	60	11-31-34	1.25	.10
1930 CROP PITCH PINE (Pinus rigida)	34	5	62-64°F.	300-500	Ce. N. H.	98	94	60	11-31-34	4.00	.40
RED SPRUCE (Picea rubra)	7	122	58-60°F.	0-100	N. E. Me.	95	90	60	11-31-34	2.25	.20
1929 CROP RED SPRUCE (Picea rubra)	8	1448	60-61°F.	812-1260	N. E. N. H.	96	66	60	11-31-34	2.25	.20

Prices are F. O. B. Berlin, New Hampshire.

For orders under one-half pound, use ounce price.

All orders are subject to prior sales.

We do not guarantee in any way the productiveness of our seed.

TERMS: CASH, 30 DAYS.

(SPECIAL QUOTATIONS ON ORDERS OVER FIFTY POUNDS.)

*LEGEND: Test not completed.

+By Jacobsen method

NOTE: N. N. H. Northern New Hampshire. N. E. N. H. Northeastern New Hampshire.
 Ce. N. H. Central New Hampshire. S. Ce. Me. South Central Maine.
 Ce. W. N. H. Central Western New Hampshire. N. E. Me. Northeastern Maine.
 S. E. Me. Southeastern Maine. Ce. W. Me. Central Western Maine

BROWN COMPANY

SEED EXTRACTING PLANT

BERLIN, N. H., U. S. A.

